

GRAIN SORGHUM PERFORMANCE TRIALS IN OKLAHOMA, 2008

PRODUCTION TECHNOLOGY CROPS

OKLAHOMA COOPERATIVE EXTENSION SERVICE DEPARTMENT OF PLANT AND SOIL SCIENCES DIVISION OF AGRICULTURAL SCIENCES & NATURAL RESOURCES OKLAHOMA STATE UNIVERSITY

PT 2008-6 November 2008	Vol. 20, No.6

Rick Kochenower

Area Research and Extension Specialist Plant and Soil Sciences Department

Roger Gribble

Area Agronomist NW Oklahoma Cooperative Extension Service

TRIAL OBJECTIVES AND PROCEDURES

Each year, performance trials for hybrid grain sorghum are conducted by the Oklahoma Cooperative Extension Service. These trials provide

producers, extension educators, industry representatives, and researchers with information for hybrid grain sorghums marketed in Oklahoma.

Performance trials are conducted at eight locations in Oklahoma: Blackwell. Cherokee. Altus. Enid, Goodwell, Homestead, Keyes, and Tipton. Dryland trials are conducted at all locations, with an additional limited irrigation trial at Goodwell. The Cherokee and locations Homestead are uniquely designed trials to certain evaluate hybrids

(generally early and medium maturity) for planting in late April. In 2004 a trial was established at Enid to evaluate hybrids for use as a double crop. Due to rainfall, the Enid trial was not planted in 2007. All trial locations also have DK-37-07 and KS 585 planted with and without (WO) seed applied

insecticide to determine the effect of these treatments on grain yield.

Grain sorghum hybrids entered (Table 1) were assigned by companies to their respective maturity groups (early, medium, and late) and trial locations therefore, all hybrids were not entered at all locations. Hybrids tested at the Cherokee, Homestead, and Enid locations were determined by Oklahoma State University. Companies submitted all hybrid characteristics presented in Table 1. This information was not determined or verified by Oklahoma State University. Company participation was voluntary therefore some hybrids marketed in

Oklahoma were not included in the test. Each maturity group was tested in a randomized complete block design with four replications. Plots were two 30inch rows by 25 feet. Plots were trimmed to 20 feet prior to harvest. Tractor powered cone planters were used to plant all trials with seeding rates adjusted for trial location. Trials were harvested with Masseya Ferguson model, 8 plot combine.

Target populations, cooperating producers, fertilization, cultural practices, soil series, and herbicide use on all trials are

listed individually in the results tables. Rainfall data from the nearest Mesonet site are also listed. Some trials are long distances from the nearest Mesonet site; therefore rainfall could be greater or less than reported. This year we only reported in-season rainfall, as compared to yearly totals, in previous reports.

Highlights

Double crop yields in north central Oklahoma were exceptional with producers reporting yields of 75 bu/ac. The Enid location averaged 82.9 bushels with four hybrids averaging over 90 bu/ac. Nitrogen may have been the limiting factor for double crops yields. Grain yield for the April planting were reduced due to a delay in emergence from cool soil temperatures. This delay gave an effective planting date of early May, which generally reduces yields when compared to plate April.

GROWING CONDITIONS

Soil moisture conditions were excellent for planting at all the April planted trials, although soil temperatures were cool and delayed emergence on some fields. In the Panhandle planting was delayed until moisture from rainfall in mid June at all sites except for Cimarron county, where most sorghum was never planted. Rainfall was timely for most of the trials in Oklahoma in 2008, except for the Altus location which effected yields at that location. The late June planting of the dryland trial at OPREC affected test weights of alter maturing hybrids. These hybrids never reached full maturity before the freeze in late October. Planting was delayed for double crop sorghum due to rainfall received during wheat harvest, some producers were planting sorghum until mid July. The later planted double crop again did not have enough time to mature and test weights were also affected by a freeze.

The head worm complex for sorghum was the major insect pressure in 2008. Many producers sprayed for worms, which generally does not affect grain yield until the head is emerged.

Due to harvest delay in late August and early September from rainfall test weights were reduced. This was evident at the Homestead location, were KS 310 was being eaten by deer and was hand harvested approximately a month before the rest of the trial and test weights were at least 4 lb/bu higher than other hybrids.

RESULTS

Grain yields in 2008 were lower than 2007, although yields for trial locations were above 100 bu/ac for many hybrids utilizing the April planting date.

Grain yields are reported bushel per acre of threshed grain, adjusted to a moisture content of 14.0% (Tables 2-10). Test weight, plant population, and the number of heads per acre at harvest are reported. Bird damage and lodging are also reported when present at a location. Different plant populations at each location prevent accurate comparison between locations. Also comparisons across maturity groups were not conducted. Producers should note that late maturing hybrids will generally yield more than early and medium maturity hybrids. However, the availability of moisture at critical crop development periods often influences yield more than the yield differences associated with maturity groups.

When choosing a maturity group, the type of cropping system, planting date, planting rate and potential moisture should be taken into consideration. For more information consult **Fact Sheet No. 2034** Grain Sorghum Planting Rates and Dates, and **Fact Sheet No. 2113** Grain Sorghum Production Calendar.

Least Significant Difference (L.S.D.) is a statistical test of yield differences and is shown at the bottom of each table. Unless two hybrids differ by at least the L.S.D. shown, little confidence can be placed in one hybrid being superior to another and the difference is probably not real.

The coefficient of variation (C.V.) is provided as an estimate of the precision of the data with respect to the mean for that location and maturity group. To provide some indication of yield stability, 2-year and 3-year means for yield and test weight are provided where trials have been conducted for more than one year with more than three entries per maturity group Producers interested in comparing hybrids for consistency of yield in a specific area should consult these tables.

The following people have contributed to this report by assisting in crop production, data collection, and publication: Donna George, Lawrence Bohl, Rocky Thacker, Eddie Pickard, Ryan Sproul, Jeff Bedwell, Jimmy Rhodes, Tommy Puffinbarger, Michael Pettijohn and Wilson Henry. Their efforts are greatly appreciated. Also would like to thank the **Oklahoma Grain Sorghum Commission** for their financial support.

Oklahoma State University, in compliance with Title VI and VII of the Civil Rights Act of 1964, Executive Order 11246 as amended, Title IX of the Education Amendments of 1972, Americans with Disabilities Act of 1990. and other federal laws and regulations, does not discriminate on the basis of race, color, national origin, sex, age, religion, disability, or status as a veteran in any of its policies, practices or procedures. This includes but is not limited to admissions, employment, financial aid, and educational services.

Issued in furtherance of Cooperative Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Bob Whitson , Director of Oklahoma Cooperative Extension Service, Oklahoma State University, Stillwater, Oklahoma. This publication is printed and issued by Oklahoma State University as authorized by the Dean of the Division of Agricultural Sciences and Natural Resources.

Company Brand Name	Hybrid	Seed Color	Endo- sperm	Days to Mid-bloom	Greenbug Resistance
	Early N	laturity			
DEKALB	DK 28E	Bz	Ну	58	Е
NC+ Hybrids	5B37	Bz	Na	58	С
Sorghum Partners Inc	KS 310	Bz	HY	57	C,E
DEKALB	DK 39Y	Y	Y	59	Е
Triumph Seed Co., Inc	TR 438	Bz	Ну	58	C,E
DEKALB	Pulsar	Bz	HY	60	C,E,I
DEKALB	DKS 37-07	Bz	HY	60	C,E,I
DEKALB	DKS 37-07 (wo)	Bz	HY	61	C,E,I
DEKALB	DKS 29-28	Bz	HY	59	Е
	Medium	Maturity	•	•	
DEKALB	DKS 44-20	BZ	HY	67	NA
DEKALB	DKS 36-16	BZ	HY	61	C,D,E
NC+ Hybrids	7C22	Cream	NA	69	None
Sorghum Partners Inc	KS 585	Bz	HY	67	С, Е
Sorghum Partners Inc	KS 585 (wo)	Bz	HY	67	С, Е
NC+ Hybrids	6B50	Bz	HY	62	None
Sorghum Partners Inc	NK5418	Bz	HY	67	C,E
Dyna-Gro	GXO7163	Bz	HY	64	CE
Dyna-Gro	766B	Bz	HY	65	CE
Dyna-Gro	GXO7664	Bz	HY	67	CE
Dyna-Gro	772B	Bz	HY	68	CE
Dyna-Gro	751B	Bz	HY	69	CE
NC+ Hybrids	5B90	Bz	NA	62	С
Midwest Seed Genetics	56R85	R	NA	69	NA
Pioneer HiBred Int.	85Y34	Y	Y	66	NA
Pioneer HiBred Int.	85G03	R	W	67	NA
Pioneer HiBred Int.	86G32	Y	Y	65	NA
	Late M	laturity			
Sorghum Partners Inc	NK7633	Bz	HY	73	С
Dyna-Gro	778B	Bz	Ну	74	CE
DEKALB	DKS 53-67	Bz	HY	71	C,E,I
DEKALB	DKS 54-00	Bz	HY	72	C,E,I
DEKALB	DKS 54-03	Bz	HY	74	NA
DEKALB	A571	Bz	Ν	72	None
Sorghum Partners Inc	NK6638	Bz	HY	70	С

Table 1. Seed source and hybrid characteristics of grain sorghum in the Oklahoma Grain Sorghum Performance Trials, 2008. All hybrids are susceptible to birds and are single cross.

Seed Color: Br – Brown; W – White; Y – Yellow; Bz – Bronze; R – Red; C – Cream

Endosperm: HW - heterowaxy; W - waxy; HY - Heteroyellow; Y - Yellow; N - Non-waxy

Maturity group: Early (less than 60 days to mid-bloom); Medium (60 - 70 days to mid-bloom); Late – (70+ days to mid-bloom) Greenbug Resistance: Biotype hybrid is resistance too

Company	Entry	Grain	Yield bu/ac	Test	weight lb/bu	Plant	Head	Head
Brand Name	Designation	2008	Two-year	2008	Two-year	Population plants/ac	Population heads/plant	Population heads/ac
DEKALB	DKS 37-07	51.0	70.6	57.1	57.6	53,900	0.98	52,822
Asgrow Seed	Pulsar	53.4	68.7	57.2	57.4	45,100	1.09	49,159
NC+ Hybrids	5B37	47.9	61.8	54.5	53.6	48,900	1.06	51,834
DEKALB	DKS 29-28	44.4	60.0	55.6	55.4	37,800	1.34	50,652
Sorghum Partners Inc	KS 310	35.4	50.0	56.0	54.7	40,900	1.32	53,988
DEKALB	DK 39Y	52.2		55.9		36,100	1.36	49,096
Triumph Seed Co.	TR 438	47.2		55.9		41,100	1.07	43,977
DEKALB	DKS 37-07 (WO)	46.2		55.9		48,800	1.00	48,800
DEKALB	DK 28E	42.6		55.3		47,800	1.01	48,278
	Mean	46.7	62.2	55.9	55.7	44,500	1.14	
	C.V.%	14.1	9.6	1.9	3.3	9.6	9.90	
	L.S.D.	NS	6.1	NS	1.9	7,400	0.19	

Table 2. Results from Altus grain sorghum performance trial, 2008.

Company	Entry	Grain	Yield bu/ac	Test	weight lb/bu	Plant	Head	Head	
Brand Name	Designation	2008	Two-year	2008	Two-year	Population plants/ac	Population heads/ac	Population heads/ac	
Medium and Full									
NC+ Hybrids	6B50		71.2	56.3	56.2	40,100	0.88	35,288	
DEKALB	DKS 36-16		64.6	57.7	57.6	39,500	0.91	35,945	
Sorghum Partners Inc	KS 585		61.5	56.1	57.0	40,700	0.94	38,258	
Sorghum Partners Inc	KS 585 (WO)		59.4	58.1	58.1	42,100	0.93	39,153	
NC+ Hybrids	7C22		59.0	56.4	56.8	39,800	1.00	39,800	
Sorghum Partners Inc	NK6638			56.3		41,900	0.79	33,101	
Dyna-Gro	778B			56.6		39,400	0.88	34,672	
DEKALB	DKS 44-20			52.8		39,400	0.91	35,854	
Dyna-Gro	GXO7163			55.8		38,800	0.99	38,412	
Dyna-Gro	766B			55.1		36,600	0.76	27,816	
Dyna-Gro	GXO7664			56.1		39,800	0.92	36,616	
Dyna-Gro	772B			56.8		47,400	0.85	40,290	
Dyna-Gro	751B			57.5		43,100	1.07	46,117	
NC+ Hybrids	5B90			56.6		43,100	1.08	46,548	
	Mean	32.8	63.1	56.3	57.1	40,800	0.92		
	C.V.%	29.6	19.5	2.5	2.2	12.3	21.2		
	L.S.D.		NS	2.4	NS	8,500	NS		

Cooperator: Southwest Research and Extension Center		Soil Serie	s: Tillm	an Hollis	ster Clay	Loam	
Conventional Tillage Practices: Sorghum-fallow-sorghum rotation	on	Soil Test:	N: 19	P: 41	K: 1003	pH: 6.0	
Fertilizer: N: 88 lbs/ac P: 22 K: 0		Herbicide	: 2 qt/ac	Cinch A	ATZ Lite	Preemergence	
Planting Date: April 18, 2008 Target Population: 45,000 plants/	/ac	Harvest D	Date: Au	gust 14, 1	2008		
Monthly Rainfall (in.)	Apr.	May	June	July	Aug.	Total	
2008:	2.44	2.48	3.34	1.82	3.61	13.69	
Long term mean:	1.92	4.23	3.51	1.76	2.45	13.87	
	0	C 1	<u> </u>	•		DT	2000 (

Company Brand Name	Entry Designation	Grain Yield bu/ac 2008	Test weight Lb/bu 2008	Plant Population plants/ac	Head Population heads/plant	Head Population heads/ac
		Early				
DEKALB	DKS 37-07	115.3	52.4	48,600	1.37	66,500
NC+ Hybrids	5B37	92.9	49.0	47,000	1.38	64,900
DEKALB	DK 28E	86.7	46.7	43,000	1.58	67,400
DEKALB	DKS 37-07 (WO)	86.4	52.9	45,800	1.35	61,400
Triumph Seed Co., Inc	TR 438	83.4	49.3	44,700	1.39	61,800
Asgrow Seed	Pulsar	81.7	49.5	39,800	1.44	57,100
DEKALB	DKS 29-28	78.5	46.9	43,700	1.33	57,400
Sorghum Partners Inc	KS 310	73.8	45.8	40,600	1.50	60,900
DEKALB	DK 39Y	64.8	46.1	29,500	1.66	48,900
	Mean	84.8	48.7	42,500	1.44	60,700
	C.V.%	16.1	4.3	11.7	9.90	10
	L.S.D.	23.7	3.6	8,600	NS	10,200

Table 3. Results from Blackwell grain sorghum performance trial, 2008.

Company Brand Name	Entry Designation	Grain Yield bu/ac 2008	Test weight Lb/bu 2008	Plant Population plants/ac	Head Population heads/plant	Head Population heads/ac
		Medium and H	Full			
DEKALB	DKS 44-20	100.6	49.3	42,000	1.43	60,200
Dyna-Gro	778B	99.5	50.5	41,200	1.32	53,600
DEKALB	DKS 36-16	97.7	50.2	48,700	1.31	63,200
Dyna-Gro	GXO7664	95.1	47.6	40,300	1.40	55,900
Dyna-Gro	772B	92.2	50.6	53,000	1.16	61,500
Dyna-Gro	751B	89.4	49.7	41,600	1.23	51,000
Dyna-Gro	GXO7163	86.6	51.0	35,400	1.54	53,900
NC+ Hybrids	6B50	81.9	46.7	47,700	1.23	58,000
Sorghum Partners Inc	KS 585	81.5	51.2	44,600	1.46	64,500
Dyna-Gro	766B	80.1	51.7	40,200	1.33	52,200
NC+ Hybrids	7C22	78.6	49.2	37,900	1.30	49,100
Sorghum Partners Inc	NK6638	75.4	49.8	48,400	1.23	59,300
Sorghum Partners Inc	KS 585 (WO)	69.3	50.9	37,200	1.53	56,700
	Mean	87.1	49.7	43,100	1.33	56,600
	C.V.%	10.9	4.9	12.4	11.0	10.5
	L.S.D.	13.6	NS	7,700	0.21	8,500

Cooperator: Bill and Louise Rigdon Soil Series: Kirkland Silt Loam No-till Practices: Followed non harvested wheat Soil Test: N: 8 P: 33 K: 353 pH: 6.1 Fertilizer: N: 130 lbs/ac + 5 gal/ac 10-34-0 with planter Planting Date: April 19, 2008 Target Population: 45,000 plants/ac Herbicide: 2 qt/ac Cinch ATZ Lite (Preemergence) Harvest Date: September 18, 2008 Monthly Rainfall (in.) Total Apr. May June July Aug. 2008: 3.10 5.35 8.69 3.43 1.17 21.74

5.83

Long term mean: 3.28

	Oklahoma	State	University
--	----------	-------	------------

4.05

2.68

3.19

19.03

Company	Entry	Days		Grain Yield	bu/ac		Test weight	lb/bu	Plant	
Brand Name	Designation	To Midbloom	2008	Two-year	Three-year	2008	Two-year	Three-year	Population plants/ac	Lodging
Sorghum Partners Inc	KS 585	67	127.0	135.1	118.5	59.8	60.4	60.0	44,700	0
NC+ Hybrids	6B50	62	104.6	125.0	115.8	54.9	56.8	56.2	49,800	27
DEKALB	DKs 37-07	60	111.7	120.2	114.9	58.9	60.0	58.9	49,400	27
Sorghum Partners Inc	KS 585	67	107.1	112.6	108.7	59.1	59.7	59.1	39,400	16
Sorghum Partners Inc	KS 310	58	95.8	91.6	90.6	56.7	57.5	56.1	38,100	0
DEKALB	DKS 36-16	61	111.3	130.5		57.6	58.1		48,300	0
DEKALB	DKS 44-20	67	127.9			59.8			41,100	0
Dyna-Gro	766B	65	122.3			57.9			35,800	0
Dyna-Gro	GXO7163	64	111.2			57.8			34,900	20
Sorghum Partners Inc	NK6638	70	104.1			58.1			42,100	30
DEKALB	DKs 37-07 (WO)	60	99.7			58.2			42,600	30
		Mean	111.1	119.2	109.7	58.1	58.8	58.0	42,400	13.6
		C.V.%	17.7	13.4	14.8	1.1	1.5	2.1	6.2	
		L.S.D.	NS	17.4	14.0	1.1	1.0	1.0	4,500	

Table 4. Results from Cherokee grain sorghum performance trial, 2008.

Cooperator: Doug McMurtreySoil Series: Dale Silt LoamNo-till Practices: fallowed after soybean in 2007Soil Test: N: 19P: 72K: 271pH: 6.6Fertilizer: N: 116 lbs N/ac + 5 gal/ac 10-34-0 with planterPlanting Date: April 19, 2008 Target Population: 45,000 plants/acHerbicide 2 qt/ac Atrazine pre-plantHarvest Date: September 4, 2008Monthly Rainfall (in.)

	Apr.	May	June	July	Aug.	Total
2008:	2.36	4.56	5.84	3.20	2.06	18.02
2007:	3.32	6.39	10.56	2.22	0.90	23.39
Long term mean:	3.28	5.83	4.05	2.68	3.19	19.03

	in emenabilia gram			,			
Company	Entry	Grain	Test	Plant	Head	Head	Harvest
Brand	Designation	Yield	weight	Population	Population	Population	Moisture
Name	Designation	bu/ac	Lb/bu	plants/ac	heads/plant	heads/ac	Wolstule
		Early					
Asgrow Seed	Pulsar	108.6	56.0	37,000	1.88	69,560	18.1
DEKALB	DKS 29-28	107.4	53.0	52,000	1.77	92,040	17.3
NC+ Hybrids	5B37	105.5	54.6	53,900	1.61	86,779	16.3
DEKALB	DK 28E	102.9	52.1	41,400	1.37	56,718	17.0
DEKALB.	DKS 37-07	102.6	56.8	48,800	1.37	66,856	17.6
DEKALB.	DKS 37-07 (WO)	100.0	57.1	44,900	1.37	61,513	17.6
Triumph Seed Co., Inc	TR 438	93.2	55.0	40,600	1.61	65,366	17.9
Sorghum Partners Inc	KS 310	87.3	53.1	41,300	2.45	101,185	16.7
DEKALB	DK 39Y	72.4	53.8	37,300	1.83	68,259	19.2
	Mean	97.7	54.6				17.5
	C.V.%	11.8	2.6				7.5
	L.S.D.	16.8	2.1				1.9

Table 5. Results from Chickasha grain sorghum performance trial, 2008.

Company Brand Name	Entry Designation	Grain Yield bu/ac	Test weight Lb/bu	Plant Population plants/ac	Head Population heads/plant	Head Population heads/ac	Harvest Moisture			
Medium and Full										
Pioneer HiBred Int.	85G03	116.5	58.1	43,900	1.63	71,557	16.9			
NC+ Hybrids	6B50	116.0	55.1	47,300	1.4	66,220	15.7			
Dyna-Gro	772B	113.5	57.1	43,200	1.41	60,912	17.5			
Dyna-Gro	GXO7163	111.8	57.4	41,900	1.45	60,755	16.1			
DEKALB	DKS 36-16	110.8	58.1	45,700	1.42	64,894	17.1			
Dyna-Gro	766B	110.2	56.7	48,600	1.22	59,292	16.9			
Sorghum Partners Inc	NK6638	108.0	57.6	47,200	1.35	63,720	17.4			
Sorghum Partners Inc	KS 585	107.5	58.7	42,300	1.65	69,795	15.8			
Dyna-Gro	GXO7664	106.9	53.0	45,500	1.36	61,880	16.6			
Dyna-Gro	751B	106.9	58.0	44,500	1.26	56,070	16.2			
DEKALB	DKS 44-20	106.3	58.0	47,100	1.34	63,114	16.8			
NC+ Hybrids	5B90	101.5	55.0	45,100	1.57	70,807	16.1			
Sorghum Partners Inc	KS 585 (WO)	99.8	58.2	43,500	1.66	72,210	15.9			
NC+ Hybrids	7C22	94.2	56.4	38,900	1.47	57,183	18.4			
Dyna-Gro	778B	82.4	55.2	44,300	1.27	56,261	20.5			
	Mean	106.1	56.8	44,600	1.43		16.9			
	C.V.%	7.0	2.5	10.4	11.7		6.4			
	L.S.D.	10.6	2.0	NS	0.24		1.5			
Cooperator: South Central Research Center Soil Series: Tuttle Silt Loam										

Conventional Tillage Practices: Wheat-fallow-sorghum Fertilizer: N: 122 lbs/ac P: 22 K: 0 Planting Date: April 18, 2008 Target Population: 45,000 plants/ac

Soil Test: N: 13 P: 144 K: 566 pH: 7.1 Herbicide: 2 qt/ac Cinch ATZ Lite Preemergence Harvest Date: August 15, 2008

Monthly Rainfall (in.)		Apr.	May	June	July	Aug.	Total
	2008:	4.26	4.33	5.61	0.94	3.94	18.57
	Long term mean:	3.40	5.30	3.80	2.00	2.40	16.90

Company Brand Name	Entry Designation	Grain Yield bu/ac 2008	Test weight Lb/bu 2008	Plant Population plants/ac	Head Population heads/plant	Head Population heads/ac	Bird Damage
Sorghum Partners Inc	NK6638	103.1	58.7	30,800	1.12	35,300	8
NC+ Hybrids	5B90	100.1	59.0	31,100	1.52	46,100	13
DEKALB	DKS 44-20	99.3	60.2	24,200	1.59	38,800	11
Dyna-Gro	GXO7163	92.5	58.8	28,600	1.35	37,500	5
Sorghum Partners Inc	KS 585	87.9	60.0	26,200	1.66	43,100	14
Sorghum Partners Inc	KS 585 (wo)	86.4	60.6	25,600	1.41	35,300	15
DEKALB	DKS 36-16	83.9	57.3	31,000	1.27	38,800	6
DEKALB	DKs 37-07 (wo)	83.0	60.4	27,900	1.42	39,200	9
DEKALB	DKs 37-07	82.4	59.4	30,900	1.18	36,600	5
Dyna-Gro	766B	75.6	57.9	29,400	1.40	39,700	5
NC+ Hybrids	6B50	74.5	58.3	33,200	1.22	40,100	28
Sorghum Partners Inc	KS 310	26.4	49.2	28,200	2.33	65,500	70
	Mean	82.9	58.3	28,900	1.46	41,300	
	C.V.%	16.4	3.4	16.9	18.7	18.6	
	L.S.D.	19.6	2.8	NS	0.39	11,000	

Table 6.	Results from	Enid double	e cron grair	n sorghum r	performance	trial. 2008.
I abic 0.	ICourts II offi		c crop gran	i soi shum b		11 Iai, 2000.

Cooperator: Richard and James Wuerflein No-till Practices: Sorghum-Wheat-Double crop sorghum Fertilizer: N: 105 lbs N/ac P: 20 lb P ₂ O ₅ K: 0 Planting Date: June 26, 2008 Target Population: 45,000		S	Soil Series: Kirkland Silt Loam Soil Test: N: NA P: NA K: NA pH: NA Herbicide: 2 qt/ac Cinch ATZ Lite Preemergence Harvest Date: November 8, 2008					
Monthly Rainfall (in.) 2	2008:	June 8.37	July 5.74	Aug 1.25	Sept 2.42	Oct 3.96	Total 21.74	

Long term mean: 4.26 2.89 3.35 3.39 3.17 **17.06**

Company	Entry	Days	Grain	Yield bu/ac	Test	weight lb/bu	Plant	Head	Head
Brand Name	Designation	To Midbloom	2008	Two-year	2008	Two-year	Population plants/ac	Population heads/plant	Population heads/ac
DEKALB	DKS 36-16	61	93.9	124.9	50.0	55.7	34,200	1.81	58,500
NC+ Hybrids	6B50	62	92.4	123.1	49.4	55.5	40,300	1.39	55,500
Sorghum Partners Inc	KS 585	67	91.1	117.4	52.3	57.8	37,600	1.76	64,700
Sorghum Partners Inc	KS 585 (WO)	67	83.4	113.6	51.8	57.3	40,300	1.49	59,900
DEKALB	DKs 37-07	60	101.6	103.1	52.6	57.3	42,400	1.44	59,600
Sorghum Partners Inc	KS 310	58	28.8	49.8	58.5	58.4	32,700	1.54	50,100
DEKALB	DKS 44-20	67	99.3		53.7		36,500	1.42	50,300
DEKALB	DKs 37-07 (WO)	60	98.2		50.9		27,600	2.22	55,700
Dyna-Gro	GXO7163	64	97.8		50.5		32,000	1.99	59,400
Dyna-Gro	766B	65	80.8		47.7		38,300	1.38	51,900
Sorghum Partners Inc	NK6638	70	74.9		50.7		28,600	1.76	48,900
		Mean	85.7	105.3	51.6	57.0	35,500	1.65	55,900
		C.V.%	11.8	13.4	2.7	4.1	20.1	19.80	9.7
		L.S.D.	17.2	15.4	2.4	2.6	NS	NS	9,300

Note: KS 310 was only hybrid with damage due to deer in 2007 and 2008. It was harvested after deer had removed approximately 60% of grain, this is also reason for higher test weight in 2008

Cooperator: Brook Strader No-till tillage Practices: Fallowed forage sorghum in 2007 Fertilizer: N: 130 lbs N + 5 gal/ac 10-34-0 with planter Planting Date: April 18, 2008 Target Population: 45,000 plants/ac Soil Series: Pratt Loamy Fine Sand Soil Test: N: 4 P: 37 K: 4963 pH: 6.5 Herbicide: Cinch ATZ Lite 1.5 qts/ac (Preemergence) Harvest Date: September 19, 2008

Monthly Rainfall (in.)

	Apr.	May	June	July	Aug.	Total
2008:	2.14	3.24	7.98	2.88	0.94	15.04
2007:	2.46	5.18	11.87	3.79	1.55	24.85
Long term mean:	2.50	4.20	3.20	2.70	2.80	15.40

Table 8. Results from OPREC dryland gram sorgnum performance trial, 2008.											
Company	Entry	Grain	Yield bu/ac	Test	weight lb/bu	Plant	Head	Head			
Brand Name	Designation	2008	Two-year	2008	Two-year	Population plants/ac	Population heads/plant	Population heads/ac			
Early											
DEKALB	DKS 37-07	74.5	66.5	54.1	56.7	20,100	1.56	32,300			
NC+ Hybrids	5B37	74.2	66.4	55.4	56.7	19,700	1.70	33,300			
Sorghum Partners Inc	KS 310	68.9	63.6	56.3	57.4	16,200	1.88	30,400			
DEKALB	Pulsar	71.3	63.1	55.8	56.6	15,500	1.47	22,800			
DEKALB	DKS 29-28	61.1	59.3	56.9	57.3	12,400	1.90	22,900			
DEKALB	DKS 37-07 (WO)	74.8		53.8		19,000	1.42	26,700			
DEKALB	DK 28E	59.1		57.0		16,200	1.78	29,000			
	Mean	69.1	63.8	55.6	56.9	17,100	1.67	28,200			
	C.V.%	9.5	11.6	1.7	2.1	10.1	17.0	18.8			
	L.S.D.	9.8	NS	1.4	NS	2,600	NS	NS			

Table 8. Results from OPREC dryland grain sorghum performance trial, 2008.

Company	Entry	Grain	Yield bu/ac	Test	weight lb/bu	Plant	Head	Head
Brand Name	Designation	2008	Two-year	2008	Two-year	Population plants/ac	Population heads/plant	Population heads/ac
T (unite			Medium a	nd Full		pranto, ac	neudo, prane	
Sorghum Partners Inc	KS 585	82.4	70.9	54.6	57.5	17,600	2.15	37,500
NC+ Hybrids	6B50	72.7	68.6	52.4	54.6	18,800	1.69	31,700
Sorghum Partners Inc	KS 585 (WO)	74.1	67.6	51.4	55.6	20,300	1.87	37,000
DEKALB	DKS 36-16	72.1	64.3	52.4	55.1	18,400	1.76	31,900
Sorghum Partners Inc	NK5418	77.6	64.1	55.1	56.3	23,600	1.52	35,100
NC+ Hybrids	7C22	63.4	53.4	54.9	56.3	14,500	1.99	29,800
Pioneer HiBred Int.	86G32	82.2		52.8		17,400	2.22	34,400
NC+ Hybrids	5B90	72.6		52.3		18,200	1.86	33,800
Pioneer HiBred Int.	85Y34	71.5		52.1		15,700	2.21	34,600
Dyna-Gro	GXO7664	67.4		50.8		15,900	2.09	33,100
Pioneer HiBred Int.	85G03	66.6		52.4		16,800	2.33	38,600
DEKALB	DKS 44-20	65.4		51.5		15,200	1.85	28,000
Dyna-Gro	751B	61.6		51.1		16,000	1.70	26,300
Dyna-Gro	766B	60.9		52.5		18,700	1.64	30,300
Midwest Seed Genetics	56R85	59.6		52.6		15,400	2.35	35,800
Sorghum Partners Inc	NK6638	57.4		52.2		17,600	2.03	35,900
Dyna-Gro	778B	56.0		51.1		16,000	2.00	31,500
Dyna-Gro	GXO7163	53.0		51.9		12,400	2.40	29,000
Dyna-Gro	772B	52.7		51.7		18,700	1.51	28,300
Note: Trial location	Mean	66.8	64.8	52.4	55.9	17,200	1.96	32,900
information is listed with	C.V.%	12.7	12.1	4.0	3.7	12.4	16.2	13.2
irrigated results	L.S.D.	12.0	8.0	NS	2.1	3,000	0.45	6,200

Oklahoma State University

Supported by Oklahoma Grain Sorghum Commission

Company	Entry	Grain Yield bu/ac		Test	weight lb/bu	Plant	Head	Head	Bird
Brand Name	Designation	2008	Two-year	2008	Two-year	Population plants/ac	Population heads/plant	Population heads/ac	Damage %
				Early					
DEKALB	Pulsar	133.2	112.3	57.6	58.3	46,700	1.43	66,500	6
DEKALB.	DKS 37-07	139.9	112.0	58.5	59.1	47,300	1.34	63,300	0
Sorghum Partners Inc	KS 310	112.4	97.7	56.4	57.8	45,500	1.27	57,800	5
DEKALB	DKS 29-28	106.6	95.0	56.3	57.3	45,500	1.39	62,600	5
NC+ Hybrids	5B37	105.7	93.9	56.1	57.4	56,100	1.25	70,100	0
DEKALB.	DKS 37-07 (WO)	139.4		57.8		52,300	1.21	63,300	0
DEKALB	DK 39Y	106.1		57.1		39,100	1.54	60,300	8
DEKALB	DK 28E	101.6		55.0		49,200	1.41	69,500	0
	Mean	118.1	102.2	56.8	58.0	47,700	1.36	64,200	
	C.V.%	3.9	12.2	2.2	1.4	6.9	7.4	6.7	
	L.S.D.	6.7	12.8	1.9	0.8	4,800	0.15	6,300	

Company Brand Name	Entry Designation	Grain Yield bu/ac 2008	Test weight Lb/bu 2008	Plant Population plants/ac	Head Population heads/plant	Head Population heads/ac	Bird Damage %
			Full				
Sorghum Partners Inc	NK6638	109.3	57.3	46,700	1.24	56,500	9
Sorghum Partners Inc	NK7633	114.4	56.9	41,400	1.43	58,400	9
Dyna-Gro	778B	102.9	56.6	46,300	1.17	53,900	19
DEKALB	DKS 53-67	122.1	56.5	52,400	1.24	64,300	6
DEKALB	DKS 54-00	109.4	55.7	48,600	1.05	51,100	8
DEKALB	DKS 54-03	121.1	56.2	51,400	1.17	59,700	8
DEKALB	A571	124.9	56.3	49,600	1.10	54,200	10
	Mean	114.9	56.5	48,000	1.20	56,900	
	C.V.%	8.6	3.1	11.8	14.30	7.1	
	L.S.D.	14.7	NS	NS	NS	NS	

Company	Entry	Grain	Yield bu/ac	Test	weight lb/bu	Plant	Head	Head	Bird
Brand Name	Designation	2008	Two-year	2008	Two-year	Population plants/ac	Population heads/plant	Population heads/ac	Damage
]	Medium					
Sorghum Partners Inc	KS 585	134.9	119.9	58.6	59.8	49,300	1.30	62,700	10
NC+ Hybrids	6B50	131.2	116.0	56.9	58.0	50,900	1.22	62,100	15
Sorghum Partners Inc	KS 585 (WO)	131.2	115.9	58.3	59.7	47,400	1.30	61,400	13
Sorghum Partners Inc	NK5418	131.9	114.6	58.2	58.8	47,800	1.30	61,900	10
DEKALB	DKS 36-16	124.8	111.4	57.2	58.9	47,500	1.44	68,500	10
NC+ Hybrids	7C22	122.3	99.7	55.0	57.2	44,700	1.31	58,100	5
Pioneer HiBred Int.	85G03	132.0		58.8		47,500	1.38	64,900	15
NC+ Hybrids	5B90	131.0		57.8		51,500	1.28	65,300	10
Dyna-Gro	772B	126.2		56.2		43,100	1.33	57,300	13
Dyna-Gro	GXO7664	123.9		54.8		45,500	1.33	60,500	10
Dyna-Gro	GXO7163	122.9		56.7		45,000	1.27	56,100	10
Dyna-Gro	751B	116.3		58.5		45,400	1.27	57,600	18
DEKALB	DKS 44-20	114.8		59.4		48,200	1.31	32,700	13
Pioneer HiBred Int.	86G32	114.6		57.3		47,300	1.27	59,100	23
Midwest Seed Genetics	56R85	110.6		58.6		45,200	1.41	63,600	13
Pioneer HiBred Int.	85Y34	110.5		53.8		46,900	1.53	71,700	25
Dyna-Gro	766B	106.0		56.6		45,900	1.34	61,200	23
	Mean	122.7	112.9	57.2	58.7	47,000	1.33	62,100	
	C.V.%	7.8	8.2	3.4	2.7	8.7	12.3	9.1	
	L.S.D.	13.6	9.4	2.8	1.6	NS	NS	NS	
Cooperator: OPREC Dryland no-till following wh rrigated strip-till following s Planting Date: Dryland June Harvest Date: Dryland Nove	oybean in 2007 24, 2008 Target Pop	Soil Tes Soil Tes		1,059 pH: 963 pH: rrigated Ju	74 Fertilizer:	N: 50 lbs N + 5 N: 125 lbs N + 5 et Population 50,	e 2 qts/ac (Preem gal/ac 10-34-0 w 5 gal/ac 10-34-0 v 000 plants/ac	ith planter	

	,											
Monthly Rainfall (in.)	May	June	July	Aug.	Sep.	Total	Irrigation (in.)			-		
2008:	0.93	1.51	3.77	5.64	0.36	12.21	Jun.	Jul.	Aug.	Sept.	Oct.	
Long term mean:	3.25	2.86	2.58	2.28	1.77	12.74	2.5	2.5	1.25	0.0	0.0	

Oklahoma State University

Table 10. Results from Tipton grain sorghum performance trial, 2008.									
Company	Entry	Grain Yield bu/ac		Test	weight lb/bu	Plant	Head	Head	
Brand Name	Designation	2008	Two-year	2008	Two-year	Population plants/ac	Population heads/plant	Population heads/ac	
			Early	7					
DEKALB	DKS 37-07	89.2	106.7	58.1	56.2	46,000	1.25	57,300	
DEKALB	DKS 29-28	86.0	98.7	52.0	54.8	40,800	1.73	69,700	
Asgrow Seed	Pulsar	73.1	97.1	55.3	57.1	41,700	1.61	66,700	
NC+ Hybrids	5B37	73.5	81.7	51.5	53.8	42,100	1.93	79,400	
Sorghum Partners Inc	KS 310	68.1	74.7	53.4	55.2	40,500	1.97	78,900	
Triumph Seed	TR 438	93.6		54.9		41,000	1.39	55,600	
DEKALB	DK 28E	78.3		50.7		44,200	1.72	75,700	
DEKALB	DK 39Y	67.6		53.9		37,500	1.55	57,800	
DEKALB	DKS 37-07 (WO)	60.7		57.5		42,500	1.43	60,500	
	Mean	76.7		54.1		41,800	1.62	66,800	
	C.V.%	12.0		1.9		12.0	19.7	14.5	
	L.S.D.	13.4		1.5		NS	NS	14,200	

Table 10. Results from Tipton grain sorghum performance trial, 2008.

Company	Entry	Grain Yield bu/ac		Test	weight lb/bu	Plant	Head	Head
Brand Name	Designation	2008	Two-year	2008	Two-year	Population plants/ac	Population heads/ac	Population heads/ac
		Medium an	d Full					
Sorghum Partners Inc	KS 585	116.2	116.8	57.3	59.0	46,800	1.24	57,900
NC+ Hybrids	6B50	106.9	116.7	53.7	55.6	50,600	1.04	52,500
DEKALB	DKS 36-16	99.6	104.2	55.6	57.2	50,800	1.09	55,600
Sorghum Partners Inc	KS 585	103.5	103.9	57.4	58.4	44,000	1.26	55,600
NC+ Hybrids	7C22	88.5	99.5	54.0	56.3	37,200	1.39	51,900
DEKALB	DKS 44-20	100.4		57.2		44,000	1.15	50,200
Dyna-Gro	772B	100.3		56.5		42,300	1.26	51,900
Dyna-Gro	GXO7163	100.1		56.0		40,000	1.29	51,000
Dyna-Gro	766B	98.4		55.4		46,900	1.16	54,400
Dyna-Gro	GXO7664	94.8		51.9		45,800	1.18	54,400
NC+ Hybrids	5B90	92.3		54.6		45,800	1.08	49,000
Sorghum Partners Inc	NK6638	90.6		56.6		45,800	1.12	50,800
Dyna-Gro	751B	90.0		56.4		46,100	1.02	47,100
Dyna-Gro	778B	82.1		56.8		52,000	0.98	50,900
	Mean	97.4		55.7		45,600	1.16	52,400
	C.V.%	8.1		1.8		9.2	12.9	10.9
	L.S.D.	11.3		1.4		6,000	0.21	NS

Cooperator: Southwest Research and Extension Center	Soil Series: Tipton Silt Loam						
Conventional Tillage Practices: Sorghum-fallow-sorghum rotat	Soil Test: N: 26 P: 48 K: 563 pH: 6.6						
Fertilizer: N: 80 lbs/ac P: 20 lbs P_2O_5 K: 0	Herbicide: 2 qt/ac Cinch ATZ Lite Preemergence						
Planting Date: April 17, 2008 Target Population: 45,000 plants/	/ac	Harvest Date: August 28, 2008					
Monthly Rainfall (in.)	Apr.	May	June	July	Aug.	Total	
2008:	2.78	2.92	2.98	2.28	4.19	15.15	
Long term mean:	2.30	4.30	3.45	2.08	2.71	14.84	